



Removable Front Sliding Patch Panel 24 Position

A robust 1U 19" removable front sliding patch panel, designed to accept up to 96 connections using LC duplex adaptors. This rack mount panel can also be pre-loaded complete with the required adaptor and simple splice management kit or preloaded with pigtails to meet your project needs. It is designed with a sliding mechanism for ease access during re-work or installation.

Applications

- Mainly used for the connection before cables from outside plant to terminal facilities, with termination and splice tray
- Data centres & telecommunication networks
- Premise installations
- Indoor applications
- Ethernet, Fibre Channel, ATM, LAN, MAN and WAN

Features

- 1U height, 19" rack mountable
- Slideable tray, easy operation
- Removable front adaptors plate can be changed easily
- Offered with FC, ST, SC simplex/duplex or LC duplex/quad adaptors
- Up to 48 spliced fibres with SC Duplex or 96 pre-terminated fibres with LC Quad
- Up to 24 adaptors using FC/ST/SC simplex
- Reliable cable fixing device and having space for redundant fibre
- Optimised design ensures the bending radius of fibre optic cables
- Box cover dust prevention and individually labelled ports
- Accepts loose tube, distribution and pre-terminated cables
- RoHS, REACH and SvHC compliant

Specifications

ELEMENT	VALUE
Depth (mm)	247mm
Width (mm)	482mm
Height (mm)	44.44mm
Rack Units	1
Capacity	24 x SC Simplex/FC/ST adaptors 24 x SC Duplex/LC Quad adaptors

Ordering Information

Patch Panel

DESCRIPTION	PART NUMBER
Datatronix Removable Front Sliding 1U Patch Panel 24-Port SC Simplex Unloaded	PPR1-02-X1-UL

Removable Front Plates

DESCRIPTION	PART NUMBER
Datatronix Front Plate for Fibre Panels 24 x SC Duplex Footprint	PFR3-XX-XX-UL
Datatronix Front Plate for Fibre Panels 24 x ST Footprint	PFR4-XX-XX-UL

Technical Drawing

